


# INTERMOUNTAIN FUSE SUPPLY INC.

## EUROPEAN FUSE WALL CHART


### Diazed Fuses TYPE DI Base Size 16 (gL-gG, aM, aR)

TYPE DI Base Size 16




### Diazed Fuses TYPE DII Base Size 27 (gL-gG, aM, aR)


TYPE DII Base Size 27




### Diazed Fuses TYPE DIII or Base Size 33 (gL-gG, aM, aR)




### Cylindrical Fuses (gL-gG, aM, aR)




### Neozed Fuses (gL-gG, aR)




### British Dimension Class C (HRCII-C) Fuses



### Electronic Fuses



### NH Fuse Links (gL-gG, aM, aR)



# INTERMOUNTAIN FUSE SUPPLY INC.

## CONVERSION TABLES

### METERS AND FEET

Meters	Feet	"(Feet) "(Inches)	Meters
0.1	0.328	1"	0.0254
0.2	0.656	2"	0.0508
0.3	0.984	3"	0.0762
0.4	1.312	4"	0.1016
0.5	1.640	5"	0.127
0.6	1.969	6"	0.1524
0.7	2.297	7"	0.1778
0.8	2.625	8"	0.2032
0.9	2.953	9"	0.2286
1	3.281	10"	0.254
1.5	4.921	11"	0.2794
2	6.562	12"	0.3048
2.5	8.202	1'	0.3048
3	9.843	1' 6"	0.4572
3.5	11.483	2'	0.6096
4	13.123	2' 6"	0.762
4.5	14.764	3'	0.9144
5	16.404	3' 6"	1.0668
5.5	18.045	4'	1.2192
6	19.685	4' 6"	1.3716
6.5	21.325	5'	1.524
7	22.966	5' 6"	1.6764
7.5	24.606	6'	1.8288
8	26.247	6' 6"	1.9812
8.5	27.887	7'	2.1336
9	29.528	7' 6"	2.286
9.5	31.168	8'	2.4384
10	32.808	8' 6"	2.5908
		9'	2.7432
		9' 6"	2.8956
		10'	3.048

### CELSIUS AND FAHRENHEIT

Celsius	Fahrenheit	Celsius	Fahrenheit
-120	-184	51	123.8
-110	-166	52	125.6
-100	-148	53	127.4
-90	-130	54	129.2
-80	-112	55	131.0
-70	-94	56	132.8
-60	-76	57	134.6
-50	-58	58	136.4
-40	-40	59	138.2
-30	-22	60	140.0
-20	-4		
-10	14	61	141.8
0	32.0	62	143.6
1	33.8	63	145.4
2	35.6	64	147.2
3	37.4	65	149.0
4	39.2	66	150.8
5	41.0	67	152.6
6	42.8	68	154.4
7	44.6	69	156.2
8	46.4	70	158.0
9	48.2	71	159.8
10	50.0	72	161.6
11	51.8	73	163.4
12	53.6	74	165.2
13	55.4	75	167.0
14	57.2	76	168.8
15	59.0	77	170.6
16	60.8	78	172.4
17	62.6	79	174.2
18	64.4	80	176.0
19	66.2	81	177.8
20	68.0	82	179.6
21	69.8	83	181.4
22	71.6	84	183.2
23	73.4	85	185.0
24	75.2	86	186.8
25	77.0	87	188.6
26	78.8	88	190.4
27	80.6	89	192.2
28	82.4	90	194.0
29	84.2	91	195.8
30	86.0	92	197.6
31	87.8	93	199.4
32	89.6	94	201.2
33	91.4	95	203.0
34	93.2	96	204.8
35	95.0	97	206.6
36	96.8	98	208.4
37	98.6	99	210.2
38	100.4	100	212.0
39	102.2	110	230
40	104.0	120	248
41	105.8	130	266
42	107.6	140	284
43	109.4	150	302
44	111.2	160	320
45	113.0	170	338
46	114.8	180	356
47	116.6	190	374
48	118.4	200	392
49	120.2	210	410
50	122.0	212	414

## MILLIMETER AND INCH

mm	Inch	mm	Inch
1	.03937	51	2.00787
2	.07874	52	2.04724
3	.11811	53	2.08661
4	.15748	54	2.12598
5	.19685	55	2.16535
6	.23622	56	2.20472
7	.27559	57	2.24409
8	.31496	58	2.28346
9	.35433	59	2.32283
10	.3937	60	2.36220
11	.43307	61	2.40157
12	.47244	62	2.44092
13	.51181	63	2.48031
14	.55118	64	2.51968
15	.59055	65	2.55905
16	.62992	66	2.59842
17	.66929	67	2.63779
18	.70866	68	2.67716
19	.74803	69	2.71653
20	.7874	70	2.75590
21	.82677	71	2.79527
22	.86614	72	2.83464
23	.90551	73	2.87401
24	.94488	74	2.91338
25	.98425	75	2.95275
26	1.02362	76	2.99212
27	1.06299	77	3.03149
28	1.10236	78	3.07086
29	1.14173	79	3.11023
30	1.18110	80	3.14960
31	1.22047	81	3.18897
32	1.25984	82	3.22834
33	1.29921	83	3.26771
34	1.33858	84	3.30708
35	1.37795	85	3.34645
36	1.41732	86	3.38582
37	1.45669	87	3.42519
38	1.49606	88	3.46456
39	1.53543	89	3.50393
40	1.57480	90	3.54330
41	1.61417	91	3.58267
42	1.65354	92	3.62204
43	1.69291	93	3.66141
44	1.73228	94	3.70078
45	1.77165	95	3.74015
46	1.81102	96	3.77952
47	1.85039	97	3.81889
48	1.88976	98	3.85826
49	1.92913	99	3.89763
50	1.96850	100	3.93700

Inch	mm
1	25.4
2	50.8
3	76.2
4	101.6
5	127.0
6	152.4
7	177.8
8	203.2
9	228.6
10	254.0
11	279.4
12	304.8
13	330.2
14	355.6
15	381.0
16	406.4
17	431.8
18	457.2
19	482.6
20	508.0
21	533.4
22	558.8
23	584.2
24	609.6
25	635.0
26	660.4
27	685.8
28	711.2
29	737.6
30	762.0
31	787.4
32	812.8
33	838.2
34	863.6
35	889.0
36	914.4
37	939.8
38	965.2
39	990.6
40	1016.0
41	1041.4
42	1066.8
43	1092.2
44	1117.6
45	1143.0
46	1168.4
47	1193.8
48	1219.2
49	1244.6
50	1270.0

Fractional Inches	Inches	mm
1/64	.015625	0.397
1/32	.03125	0.794
3/64	.046875	1.191
1/16	.0625	1.588
5/64	.078125	1.984
3/32	.09375	2.381
7/64	.109375	2.778
1/8	.125	3.175
9/64	.140625	3.572
5/32	.15625	3.969
11/64	.171875	4.366
3/16	.1875	4.763
13/64	.203125	5.159
7/32	.21875	5.556
15/64	.234375	5.953
1/4	.250	6.350
17/64	.265625	6.747
9/32	.28125	7.144
19/64	.296875	7.540
5/16	.3125	7.938
21/64	.328125	8.334
11/32	.34375	8.731
23/64	.359375	9.128
3/8	.375	9.525
25/64	.390625	9.922
13/32	.40625	10.319
27/64	.421875	10.716
7/16	.4375	11.113
29/64	.453125	11.509
15/32	.46875	11.906
31/64	.484375	12.303
1/2	.500	12.700
33/64	.515625	13.097
17/32	.53125	13.494
35/64	.546875	13.891
9/16	.5625	14.288
37/64	.578125	14.684
19/32	.59375	15.081
39/64	.609375	15.478
5/8	.625	15.875
41/64	.640625	16.272
21/32	.65625	16.669
43/64	.671875	17.066
11/16	.6875	17.463
45/64	.703125	17.859
23/32	.71875	18.256
47/64	.734375	18.653
3/4	.750	19.050
49/64	.765625	19.447
25/32	.781250	19.844
51/64	.796875	20.241
13/16	.8125	20.638
53/64	.828125	21.034
27/32	.84375	21.431
55/64	.859375	21.828
7/8	.8750	22.225
57/64	.890625	22.622
29/32	.90625	23.019
59/64	.921875	23.416
15/16	.9375	23.813
61/64	.953125	24.209
31/32	.96875	24.606
63/64	.984375	25.003